#### **BENEFITS**

- Rejuvenates the skin to reduce the signs of aging
- May improve skin smoothness and texture
- Encourages the skin's natural glow

### WHAT YOU CAN EXPECT

- Treatment typically under 30 minutes, depending on the area(s) treated
- Minimal downtime



## **REAL RESULTS**

Skin tightening Plasma IQ treatment on a focused facial area, immediately after treatment. Some minor redness is visible.



PLASMA IQ is FDA cleared to be used in the removal and destruction of skin lesions and the coagulation of tissue. The most common side effects are swelling, tenderness, scabbing and redness. PLASMA IQ is Rx only and should only be used by medically licensed and certified practitioners. For full product and safety information, visit https://www.sunevamedical.com/ifu/©2020 Neauvia North America.


Toll-free call (U.S. & Canada): 844-235-5234. Local calls: 858-550-9999. International calls: ++ 858-550-9999. www.sunevamedical.com © 2022 Suneva Medical, Inc. All rights reserved. SM3073 REV02


Manufactured by:
Neauvia North America
NEAUVIA\*
NORTH AMERICA

Distributed by:
Suneva Medical

SUNEVA® AESTHETICS
MEDICAL EXPERTS

# PLASMA IQ\*\*






## WHAT IS PLASMA IQ?


Plasma IQ is a minimally invasive treatment that rejuvenates skin with advanced energy based technology.

Microbeams of plasma provide focused energy treatment to tighten, rejuvenation and remove unwanted skin lesions for a refreshed and renewed appearance.


### **HOW IT WORKS**



As Plasma IQ approaches the surface of the skin, it ionizes atmospheric nitrogen gas particles in the air to create a plasma arc that looks like a spark.<sup>1,2,3</sup>



The heat energy delivered by the plasma arc create controlled microinjuries to the upper layers of the skin.<sup>3,4,5</sup>



This results in tightening and contraction of the skin to restore skin health and regeneration.<sup>3</sup>

<sup>1.</sup> Rubins S, et al. *Acta Dermatovenerol*. 2020;29:55-57. 2. Scarano A, et al. Eur *Journal Inflamm*. 2011;9(3):89-94. 3. Pourazizi M and Abtahi-Naeini B. J Surg Dermatol. 2017;2(t1):113-114. 4. Jonak C, et al. *Int J Cosmet Sci*. 2006;28(4):233-241. 5. Crofford R. *PMFA J*. Feb/Mar 2019;6(3).